

Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <https://www.ul.com/about/locations>.

Low-voltage Lighting Systems, Power Units, Luminaires and Fittings

COMPANY

KLUS L L C

673 US Highway 1
VERO BEACH, FL 32962 United States

E485295

Model(s): K-D1617-RGB-1720-24, K-D1617-RGBW-1450-24, K-DLRGB40-2246-24, K-NF-0780-24V, K-NFR-1600-24V, K-NF-RGB-1730H-24V-5M, K-NF-RGB-1730V-24V-10M, K-NF-RGB-1730V-24V-5M, K-NF-RGBW35-1730V-24V-5M, K-S1617-RGB-1728-24, K-S1617-RGBW-1450-24, KWP-GDLRGB40-2246-24, WP-K-SE-BLUE-1210-8-24V

Model(s): 14K-WP-K-VHEXX-0480-24 Where XX can be any alphanumeric characters represents Temperature color.

Model(s): 14K-WP-K-VHEXX-0960-24 Where XX can be any alphanumeric characters represents Temperature color.

Model(s): 5K-WP-K-XX-1091-24V Where X (XX) can be any number or alphabet to represent different LED color

Model(s): 8K-WP-K-VHEXX-0480-24 Where XX can be any alphanumeric characters represents Temperature color.

Model(s): 8K-WP-K-VHEXX-0960-24 Where XX can be any alphanumeric characters represents Temperature color.

Model(s): K2-XX-1920-24 Where XX can be any alphanumeric characters represents Temperature color.

Model(s): K3-XX-2880-24 Where XX can be any alphanumeric characters represents Temperature color.

Model(s): K-D1617-XX-1480-24 Where X (XX) can be any number or alphabet to represent different LED color

Model(s): K-DLXX-0936-24 Where X (XX) can be any number or alphabet to represent different LED color

Model(s): K-S1617-XX-1450-24 Where X (XX) can be any number or alphabet to represent different LED color

Model(s): K-VHEXX-0480-24 Where XX can be any alphanumeric characters represents Temperature color.

Model(s): K-VHEXX-0960-24 Where XX can be any alphanumeric characters represents Temperature color.

Model(s): K-VHEXX-1440-24 Where X (XX) can be any number or alphabet to represent different LED color

Model(s): KWP-14KVHEXX-0480-24 Where X (XX) can be any number or alphabet to represent different LED color

Model(s): KWP-14KVHEXX-0960-24 Where X (XX) can be any number or alphabet to represent different LED color

Model(s): KWP-GDLXX-0936-24 Where X (XX) can be any number or alphabet to represent different LED color

Model(s): KWP-VHEXX-0480-24 Where X (XX) can be any number or alphabet to represent different LED color

Model(s): KWP-VHEXX-0960-24 Where X (XX) can be any number or alphabet to represent different LED color

Model(s): WP-K-SE-XX-1210-8-24V Where X (XX) can be any number or alphabet to represent different LED color

Model(s): WP-K-VHEXX-0480-24 Where XX can be any alphanumeric characters represents Temperature color.

Model(s): WP-K-VHEXX-0960-24 Where XX can be any alphanumeric characters represents Temperature color.

Low Voltage LED Surface-Mounted Light, Model(s): 14K-WP-K-1530-RGB+W-24V, 14K-WP-K-RGB-0700-24V, 14K-WP-K-RGB-1200-24V, 8K-WP-K-1920-120-RGB-24V, 8K-WP-K-RGB-0700-24V, 8K-WP-K-RGB-1200-24V, K-1200-RGB+27/65-24V, K-1275-120-RGB-24V, K-1275-RGB-12V, K-1275-RGB-24V, K-1530-RGB+W-24V, K-1560-RGB-24V, K-18/30-0960-24V, K-1920-120-RGB-24V, K-1920-XX-24V, K-27/50-1440-24V, K-30-2300-24V, K-BT-40-0720-12V, K-BT-40-1440-12V, K-BT-RGB40-1510-24V, K-BT-XX-1000-24V, K-HE-XX-0480-HD-24V, K-HE-XX-0960-HD-24V, K-HE-XX-1440-HD-24V, K-HE-XX-1920-HD-24V, K-LR-40-1000-24V, K-NF-XX-0768-24V, K-NF-XX-0780-24V, K-NF-XX-1220-24V, K-RGB-0700-24V, K-RGB-1200-24V, KWP-27/50-1440-24, K-XX/XX-1728-24V, K-XX-0720-HD-24V, K-XX-1091-24V, K-XX-1770-24V, K-XX-1820-HD-24V, K-XX-1910-HD-24V, K-XX-1920-HD, WP-K-1200-RGB+27/65-24V, WP-K-1275-RGB-12V, WP-K-1275-RGB-24V, WP-K-1530-RGB+W-24V, WP-K-1530-RGB+W-IP65-24V, WP-K-18/30-0960-24V, WP-K-1920-120-RGB-24V, WP-K-RGB-0700-24V, WP-K-RGB-1200-24V, WP-K-SE-XX-1210-24, WP-K-XX-1640-HD-IP65-24V, WP-K-XX-1910-HD-IP65-24V

Low Voltage LED Surface-Mounted Light, Model(s): 14K-WP-K-XX-0480-24V Where XX can be any alphanumeric characters represents Temperature color.

Low Voltage LED Surface-Mounted Light, Model(s): 14K-WP-K-XX-0960-24 Where XX can be any alphanumeric characters represents Temperature color.

Low Voltage LED Surface-Mounted Light, Model(s): 14K-WP-K-XX-0960-24V Where XX can be any alphanumeric characters represents Temperature color.

Low Voltage LED Surface-Mounted Light, Model(s): 14K-WP-K-XX-1440-24V Where XX can be any alphanumeric characters represents Temperature color.

Low Voltage LED Surface-Mounted Light, Model(s): 14K-WP-K-XX-1440-24V Where XX can be any alphanumeric characters represents Temperature color.

Low Voltage LED Surface-Mounted Light, Model(s): 8K-WP-K-XX-0480-24V Where XX can be any alphanumeric characters represents Temperature color.

Low Voltage LED Surface-Mounted Light, Model(s): 8K-WP-K-XX-0960-24 Where XX can be any alphanumeric characters represents Temperature color.

Low Voltage LED Surface-Mounted Light, Model(s): 8K-WP-K-XX-0960-24V Where XX can be any alphanumeric characters represents Temperature color.

Low Voltage LED Surface-Mounted Light, Model(s): 8K-WP-K-XX-1440-24V Where XX can be any alphanumeric characters represents Temperature color.

Low Voltage LED Surface-Mounted Light, Model(s): 8K-WP-K-XX-1440-24V Where XX can be any alphanumeric characters represents Temperature color.

Low Voltage LED Surface-Mounted Light, Model(s): K-1200-XX-24V (\$) (\$) refers to where XX SUFFIX DESIGNATES COLOR OF LED. Suitable for Installation in the Storage Area of a Clothes Closet

Low Voltage LED Surface-Mounted Light, Model(s): K-1275-120-XX-24V (\$) (\$) refers to where XX SUFFIX DESIGNATES COLOR OF LED. Suitable for Installation in the Storage Area of a Clothes Closet

Low Voltage LED Surface-Mounted Light, Model(s): K-BTXX-0450-24 Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): K-BT-XX-0720-12V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): K-BT-XX-0720-24V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): K-BTXX-0910-24 Where XX can be any alphanumeric characters represents Temperature color.

Low Voltage LED Surface-Mounted Light, Model(s): K-BT-XX-0910-24 Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): K-BT-XX-1440-12V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): K-CR-XX-0480-24 Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): K-CR-XX-0960-24 Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): K-CR-XX-1440-24 Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): K-CR-XX-1820-HD-24V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): K-CR-XX-1910-HD-24V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): K-HDXX-0480-24 Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): K-HDXX-0960-24 Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): K-HDXX-1440-24 Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): K-SEXX-0480-24V Where XX can be any alphanumeric characters represents Temperature color.

Low Voltage LED Surface-Mounted Light, Model(s): K-SHD-XX-0960-24 Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): K-SL-XX-0480-24 Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): K-SL-XX-0960-24 Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): K-VBT-XX-0720-24 Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): K-VBTXX-0720-24V Where XX can be any alphanumeric characters represents Temperature color.

Low Voltage LED Surface-Mounted Light, Model(s): KWP-14KHDXX-0480-24 Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): KWP-14KHDXX-0960-24 Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): KWP-5KSHDXX-0960-24 Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): KWP-5KXX-0450-24 Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): KWP-8KCRXX-0480-24 Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): KWP-8KCRXX-0960-24 Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): KWP-CRXX-0480-24 Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): KWP-CRXX-0960-24 Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): KWP-GHDXX-0480-24 Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): KWP-GHDXX-0960-24 Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): KWP-GHDXX-1440-24 Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): KWP-HDXX-0480-24 Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): KWP-HDXX-0960-24 Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): K-XX-0450-24 Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): K-XX-0480-24V Where XX can be any alphanumeric characters represents Temperature color.

Low Voltage LED Surface-Mounted Light, Model(s): K-XX-0530-HD-24V Where "XX" SUFFIX DESIGNATES COLOR OF LED Suitable for Installation in the Storage Area of a Clothes Closet

Low Voltage LED Surface-Mounted Light, Model(s): K-XX-0960-24 Where XX can be any alphanumeric characters represents Temperature color.

Low Voltage LED Surface-Mounted Light, Model(s): K-XX-0960-24V Where XX can be any alphanumeric characters represents Temperature color.

Low Voltage LED Surface-Mounted Light, Model(s): K-XX-1275 Where "XX" SUFFIX DESIGNATES COLOR OF LED Suitable for Installation in the Storage Area of a Clothes Closet

Low Voltage LED Surface-Mounted Light, Model(s): K-XX-1275-24 Where "XX" SUFFIX DESIGNATES COLOR OF LED Suitable for Installation in the Storage Area of a Clothes Closet

Low Voltage LED Surface-Mounted Light, Model(s): K-XX-1440-24V Where XX can be any alphanumeric characters represents Temperature color.

Low Voltage LED Surface-Mounted Light, Model(s): K-XX-1720-24V Where "XX" SUFFIX DESIGNATES COLOR OF LED Suitable for Installation in the Storage Area of a Clothes Closet

Low Voltage LED Surface-Mounted Light, Model(s): K-XX-2300-24V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): K-XX-2400-24 Where XX can be any alphanumeric characters represents Temperature color.

Low Voltage LED Surface-Mounted Light, Model(s): WP-K-CR-XX-1820-HD-24V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): WP-K-CR-XX-1910-HD-24V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): WP-K-SE-XX-1210-12V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): WP-K-XX-0480-24V Where XX can be any alphanumeric characters represents Temperature color.

Low Voltage LED Surface-Mounted Light, Model(s): WP-K-XX-0960-24 Where XX can be any alphanumeric characters represents Temperature color.

Low Voltage LED Surface-Mounted Light, Model(s): WP-K-XX-0960-24V Where XX can be any alphanumeric characters represents Temperature color.

Low Voltage LED Surface-Mounted Light, Model(s): WP-K-XX-1440-24V Where XX can be any alphanumeric characters represents Temperature color.

Low Voltage LED Surface-Mounted Light, Model(s): WP-K-XX-1440-24V Where XX can be any alphanumeric characters represents Temperature color.

Low Voltage LED Surface-Mounted Light, Model(s): WP-K-XX-1820-HD-24V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Surface-Mounted Light, Model(s): WP-K-XX-1910-HD-24V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Tape Light, surface mounted, Model(s): K-1215-XX, K-1215-XX-24, K-1220-XX-24V, K-1225-XX, K-1225-XX-24, K-1275-XX, K-1275-XX-24, K-BLUE-1210-24V, K-BLUE-1220-24V, K-GREEN-1210-24V, K-GREEN-1220-24, K-RED-1210-24V, K-RED-1220-24V, K-SE-BLUE-1210-8-24V, K-SE-XX-1210, K-SE-XX-1210-24, K-SE-XX-1220-12V, K-XX-1210, K-XX-1210-24, K-XX-1220, K-XX-1220-24, WP-K-1215-XX-IP65, WP-K-1225-XX-IP65-24V, WP-K-1275-XX-IP65, WP-K-1275-XX-IP65-24V, WP-K-BLUE-1210-24V, WP-K-BLUE-1220-24V, WP-K-GREEN-1210-24V, WP-K-GREEN-1220-24V, WP-K-RED-1210-24V, WP-K-RED-1220-24V, WP-K-SE-XX-1210, WP-K-XX-1210, WP-K-XX-1210-24V, WP-K-XX-1210-IP65-12V, WP-K-XX-1210-IP65-24V, WP-K-XX-1220-24, WP-K-XX-1220-IP65, WP-K-XX-1220-IP65-24

Low Voltage LED Tape Light, surface mounted, Model(s): 8K-WP-K-XX-1210-12V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Tape Light, surface mounted, Model(s): 8K-WP-K-XX-1210-24V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Tape Light, surface mounted, Model(s): 8K-WP-K-XX-1220-12V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Tape Light, surface mounted, Model(s): 8K-WP-K-XX-1220-24V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Tape Light, surface mounted, Model(s): 8K-WP-K-XX-1275-12V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Tape Light, surface mounted, Model(s): 8K-WP-K-XX-1275-24V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Tape Light, surface mounted, Model(s): K-CR-XX-1210-24V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Tape Light, surface mounted, Model(s): K-CR-XX-1220-24V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Tape Light, surface mounted, Model(s): K-CR-XX-1275-24V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Tape Light, surface mounted, Model(s): K-SE-XX-0480-24 Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Tape Light, surface mounted, Model(s): K-SE-XX-1210-12V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Tape Light, surface mounted, Model(s): K-SE-XX-1210-24V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Tape Light, surface mounted, Model(s): K-SE-XX-1210-8-24V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Tape Light, surface mounted, Model(s): K-XX-1210-12V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Tape Light, surface mounted, Model(s): K-XX-1210-24V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Tape Light, surface mounted, Model(s): K-XX-1220-24V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Tape Light, surface mounted, Model(s): K-XX-1275-12V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Tape Light, surface mounted, Model(s): K-XX-1275-24V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Tape Light, surface mounted, Model(s): K-XX-1288-24V-DR Where "XX" SUFFIX DESIGNATES COLOR OF LED Suitable for Installation in the Storage Area of a Clothes Closet

Low Voltage LED Tape Light, surface mounted, Model(s): K-XX-1920-24V Where "XX" SUFFIX DESIGNATES COLOR OF LED Suitable for Installation in the Storage Area of a Clothes Closet

Low Voltage LED Tape Light, surface mounted, Model(s): K-XX-1920-24V-DR Where "XX" SUFFIX DESIGNATES COLOR OF LED Suitable for Installation in the Storage Area of a Clothes Closet

Low Voltage LED Tape Light, surface mounted, Model(s): WP-K-CR-XX-1210-24V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Tape Light, surface mounted, Model(s): WP-K-CR-XX-1220-24V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Tape Light, surface mounted, Model(s): WP-K-CR-XX-1275-24V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Tape Light, surface mounted, Model(s): WP-K-XX-1220-12V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Tape Light, surface mounted, Model(s): WP-K-XX-1220-24V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Tape Light, surface mounted, Model(s): WP-K-XX-1220-IP65-12V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Tape Light, surface mounted, Model(s): WP-K-XX-1220-IP65-24V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Tape Light, surface mounted, Model(s): WP-K-XX-1275-12V Where X (XX) can be any number or alphabet to represent different LED color

Low Voltage LED Tape Light, surface mounted, Model(s): WP-K-XX-1275-24V Where X (XX) can be any number or alphabet to represent different LED color

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2023 UL LLC."